# **AUTHOR INDEX**

Adamson, A.J., Hill, G., Fisher, W., Hilditch, R.W., Sinclair, C.D. Kinematics and properties of F stars near the North Galactic Pole – II. The isothermal disc, 230, 273

Adelman, S.J. Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – III. The superficially normal standard stars Theta Leonis, Tau Herculis and Omicron Pegasi, 230, 671

Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H. Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component, 230, 629

Ashworth, M. A relation between subpulse widths and the polarization properties of pulsars, 230, 87

Bailey, J. see Hough, J.H.,

Barcons, X., Fabian, A.C. Fluctuations in the X-ray background and the large-scale structure of the Universe, 230, 189

Barstow, M.A., Stanger, V.J. Serendipitous discovery of an AGN showing rapid X-ray variability, 230, 207

Benn, C.R., Grueff, G., Vigotti, M., Wall, J.V. A deep radio and optical survey near the North Galactic Pole – IV. VLA observations and optical identifications of 5C 12 sources, 230, 1

Bhatia, R.K., Hatzidimitriou, D. Binary star clusters in the Large Magellanic Cloud, 230, 215

Bicknell, G.V. see Coleman, C.S. Binney, J., Lacey, C. The diffusion of stars through

phase space, 230, 597

Bracewell, R.N. Three-halves law in sunspot cycle shape, 230, 535

Brown, P.J.F., Dufton, P.L., Lennon, D.J. Non-LTE calculations of O II line strengths in early-type stars, 230, 443

Cantó, J. see Rawlings, J.M.C. Carswell, R.F. see Pamell, H.C.

Chapman, J.M. The circumstellar envelope of an unusual OH/IR star, OH 19.2-1.0, 230, 415

Clement, R., Sembay, S., Hanson, C.G., Coe, M.J. A mid- to far-infrared variability study of the intermediate Seyfert galaxy, Mk 6, 230, 117

Coe, M.J. see Clement, R.

Coleman, C.S., Bicknell, G.V. Jets with entrained clouds –II. The synchrotron spectrum and emission structure, 230, 497

Couch, W.J. see MacLaren, I.

Dufton, P.L. see Brown, P.J.F.

Duley, W.W., Williams, D.A. Luminescence from interstellar carbons: evidence for diamond-like dust from extended red and near-infrared emission, 230, 1P

Dyson, J.E. see Meaburn, J.

Efstathiou, G., Rees, M.J. High-redshift quasars in the Cold Dark Matter cosmogony, 230, 5P Ellis, R.S. see MacLaren, I.

Fabian, A.C. see Barcons, X.

Fairall, A.P. A redshift map of the Triangulum Australe-Ara region: further indication that Centaurus and Pavo are one and the same supercluster, 230, 69

Fisher, W. see Adamson, A.J.

Fitchett, M. The statistical determination of substructure in clusters of galaxies, 230, 161

Garden, R.P. see Sato, S. Gatley, I. see Hough, J.H., Gatley, I. see Sato, S. Grueff, G. see Benn, C.R.

Hanson, C.G. see Clement, R. Hartquist, T.W. see Meaburn, J. Hartquist, T.W. see Wagenblast, R. Hatzidimitriou, D. see Bhatia, R.K. Heggie, D.C., Stevenson, D. Two homological models for the evolution of star clusters, 230, 223 Hilditch, R.W. see Adamson, A.J. Hill, G. see Adamson, A.J. Hough, J.H., Sato, S., Tamura, M., Yamashita, T., McFadzean, A.D., Rouse, M.F., Whittet, D.C.B., Kaifu, N., Suzuki, H., Nagata, T., Gatley, I., Bailey, J. Spectropolarimetry of the 3-µm ice band in Elias 16 (Taurus Dark Cloud), 230, 107 Hough, J.H. see Aitken, D.K. Hough, J. see Sato, S. Houziaux, L. see Thompson, G.I. Hummer, D.G. see Smith, L.F.

James, S.D. see Aitken, D.K. Jones, B.J.T. see Liu, X.D.

Kaifu, N. see Hough, J.H. Kaifu, N. see Sato, S.

Krishan, V. Raman scattering of the synchrotron selfabsorbed radiation in accretion discs, 230, 183

Lacey, C. see Binney, J.

Lambert, D.L. see McWilliam, A.

Lemos, J.P.S. Remarkable properties of the limiting counter-rotating disc, 230, 451

Lennon, D.J. see Brown, P.J.F.

Liu, X.D., Jones, B.J.T. Evolution of Lyα clouds: observational biases due to line crowding, 230, 481

McFadzean, A.D. see Hough, J.H.
MacLaren, I., Ellis, R.S., Couch, W.J. Spectral energy distributions of galaxies in high-redshift clusters – III. Abell 370 at z-0.37, 230, 249

#### Author index

McLean, I.S. see Sato, S.

McWilliam, A., Lambert, D.L. Isotopic magnesium abundances in stars, 230, 573

Marston, A.P. Digital plate coaddition: results on a field centred on IC 4296, 230, 97

Meaburn, J., Hartquist, T.W., Dyson, J.E. The sealing of fragmenting shells - evidence from optical studies of the Vela remnant, 230, 243

Mediavilla, E. see Pérez, E.

Melott, A.L. Erratum: Voids and velocities in initially Gaussian models for large-scale structure, 230, 479

Millar, T.J. see Nejad, L.A.M.

Moles, M. see Pérez, E.

Morgan, D.H. see Thompson, G.I.

Morris, S.L., Ward, M.J. Spectrophotometry of active galaxies - I. The observations, 230, 639

Nagata, T. see Hough, J.H.

Nagata, T. see Sato, S.

Nakano, T. Formation of planets around stars of various masses - II. Stars of two and three solar masses and the origin and evolution of circumstellar dust clouds, 230, 551

Nandy, K. see Thompson, G.I.

Nejad, L.A.M., Millar, T.J. Chemical modelling of molecular sources - VI. Carbon-bearing molecules in oxygen-rich circumstellar envelopes, 230, 79 Norris, R.P. The double radio nucleus of Arp 220,

230, 345

Parnell, H.C., Carswell, R.F. Effects of blending on estimates of the redshift evolution of QSO Lya absorbers, 230, 491

Peacock, J.A. see Prestage, R.M. Penston, M.V. see Pérez, E.

Pérez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M. An accretion disc in the broad-line radio galaxy 3C390.3?, 230, 353

Prestage, R.M., Peacock, J.A. The cluster environments of powerful radio galaxies, 230, 131 Pringle, J.E. White dwarf heating and the ultraviolet flux in dwarf novae, 230, 587

Rawlings, J.M.C., Williams, D.A., Cantó, J. Chemistry in T Tauri winds, 230, 695 Rees, M.J. see Efstathiou, G. Roche, P.F. see Aitken, D.K. Rouse, M.F. see Hough, J.H.

Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, I. Infrared polarimetry of dark clouds - II. Magnetic field structure in the Ophiuchi dark cloud, 230, 321 Sato, S. see Hough, J.H.

Sciama, D.W. Photino decay and the ionization of Lyman a clouds at large redshifts, 230, 13P

Sembay, S. see Clement, R.

Sinclair, C.D. see Adamson, A.J.

Smith, C.H. see Aitken, D.K.

Smith, L.F., Hummer, D.G. C/He abundances in WC stars, 230, 511

Stanger, V.J. see Barstow, M.A. Stevenson, D. see Heggie, D.C.

Strom, R.G. Distances to the remnants of historical Type I supernovae, 230, 331

Suzuki, H. see Hough, J.H.

Tadhunter, C. see Pérez, E. Tamura, M. see Hough, J.H.

Tamura, M. see Sato, S. Tennant, A.F. Observations of 1.4-Hz quasi-periodic oscillations in Cir X-1, 230, 403

Thompson, G.I., Nandy, K., Morgan, D.H., Houziaux, L. Effective temperatures and radii of Small Magellanic Cloud supergiants, 230, 429

Ulrich, M.-H. Far-ultraviolet absorption lines in active galaxies, 230, 121 Underhill, A.B. On the connection between model stars and real stars, 230, 55

Vigotti, M. see Benn, C.R.

Wagenblast, R., Hartquist, T.W. Non-equilibrium level populations of molecular hydrogen -I. Uniform density, 230, 363

Wall, J.V. see Benn, C.R. Ward, M.J. see Morris, S.L.

Webster, B.L. The abundances and mass distribution of planetary nebulae in the galactic bulge, 230, 377

Whittet, D.C.B. On the nature and environment of Omicron Scorpii, 230, 473

Whittet, D.C.B. see Hough, J.H.

Williams, D.A. see Duley, W.W. Williams, D.A. see Rawlings, J.M.C.

Worswick, S.P. see Wynne, C.G.

Wynne, C.G., Worswick, S.P. Atmospheric dispersion at primefocus, 230, 457

Yamashita, T. see Hough, J.H.

## SUBJECT INDEX

#### Abundances of the elements

The abundances and mass distribution of planetary nebulae in thegalactic bulge (Webster, B.L.), 230, 377 C/He abundances in WC stars (Smith, L.F., Hummer, D.G.), 230, 511

Isotopic magnesium abundances in stars (McWilliam, A., Lambert, D.L.), 230, 573

Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms –III. The superficially normal standard stars Theta Leonis, Tau Herculisand Omicron Pegasi (Adelman, S.J.), 230, 671

#### Accretion and accretion discs

Raman scattering of the synchrotron self-absorbed radiation in accretion discs (Krishan, V.), 230, 183 An accretion disc in the broad-line radio galaxy 3C390.3? (Pérez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M.),230, 353

#### Celestial mechanics

Two homological models for the evolution of star clusters (Heggie, D.C., Stevenson, D.), 230, 223 The diffusion of stars through phase space (Binney, J., Lacey, C.), 230, 597

#### Cosmology

Fluctuations in the X-ray background and the large-scale structure of the Universe (Barcons, X., Fabian, A.C.), 230, 189

Erratum: Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), 230, 479

Evolution of Lyα clouds: observational biases due to line crowding (Liu, X.D., Jones, B.J.T.), 230, 481

Effects of blending on estimates of the redshift evolution of QSO Lyα absorbers (Parnell, H.C., Carswell, R.F.), 230, 491

High-redshift quasars in the Cold Dark Matter cosmogony (Efstathiou, G., Rees, M.J.), 230, 5P Photino decay and the ionization of Lyman a clouds at large redshifts (Sciama, D.W.), 230, 13P

## Data reduction

The statistical determination of substructure in clusters of galaxies (Fitchett, M.), 230, 161

## Galactic structure and stellar dynamics

Kinematics and properties of F stars near the North Galactic Pole – II. The isothermal disc (Adamson, A.J., Hill, G., Fisher, W., Hilditch, R.W., Sinclair, C.D.), 230, 273

The abundances and mass distribution of planetary nebulae in the galactic bulge (Webster, B.L.), 230, 377

The diffusion of stars through phase space (Binney, J., Lacey, C.), 230, 597

#### Galaxies

A redshift map of the Triangulum Australe-Ara region: further indication that Centaurus and Pavo are one and the same supercluster (Fairall, A.P.), 230, 69

Digital plate coaddition: results on a field centred on IC 4296 (Marston, A.P.), 230, 97

Spectral energy distributions of galaxies in high-redshift clusters-III. Abell 370 at z-0.37 (MacLaren, I., Ellis, R.S., Couch, W.J.), 230, 249

#### Galaxies - active

A deep radio and optical survey near the North Galactic Pole – IV. VLA observations and optical identifications of 5C 12 sources (Benn, C.R., Grueff, G., Vigotti, M., Wall, J.V.), 230, 1

Far-ultraviolet absorption lines in active galaxies (Ulrich, M.-H.), 230, 121

The cluster environments of powerful radio galaxies (Prestage, R.M., Peacock, J.A.), 230, 131

Serendipitous discovery of an AGN showing rapid X-ray variability (Barstow, M.A., Stanger, V.J.), 230, 207

The double radio nucleus of Arp 220 (Norris, R.P.), 230, 345

An accretion disc in the broad-line radio galaxy 3C390.3? (Pérez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M.), 230, 353

Jets with entrained clouds – II. The synchrotron spectrum and emission structure (Coleman, C.S., Bicknell, G.V.), 230, 497

Spectrophotometry of active galaxies - I. The observations (Morris, S.L., Ward, M.J.), 230, 639

## Galaxies - formation of

Erratum: Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), 230, 470

High-redshift quasars in the Cold Dark Matter cosmogony (Efstathiou, G., Rees, M.J.), 230, 5P

## Subject index

#### Galaxies - nuclei of

The double radio nucleus of Arp 220 (Norris, R.P.), 230, 345

An accretion disc in the broad-line radio galaxy 3C390 (Pérez,E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M.), 230, 353

## Galaxies - Seyfert

A mid- to far-infrared variability study of the intermediate Seyfert galaxy, Mk 6 (Clement, R., Sembay, S., Hanson, C.G., Coe, M.J.), 230, 117 Serendipitous discovery of an AGN showing rapid X-ray variability (Barstow, M.A., Stanger, V.J.), 230, 207

The double radio nucleus of Arp 220 (Norris, R.P.), 230, 345

## Galaxy clustering

Evolution of Lyα clouds: observational biases due to line crowding (Liu, X.D., Jones, B.J.T.), 230, 481 Effects of blending on estimates of the redshift evolution of QSO Lyα absorbers (Parnell, H.C., Carswell, R.F.), 230, 491

## Galaxy clusters

A redshift map of the Triangulum Australe-Ara region: further indication that Centaurus and Pavo are one and the same supercluster (Fairall, A.P.), 230, 69

The cluster environments of powerful radio galaxies (Prestage, R.M., Peacock, J.A.), 230, 131

The statistical determination of substructure in clusters of galaxies (Fitchett, M.), 230, 161

Spectral energy distributions of galaxies in high-redshift clusters – III. Abell 370 at z-0.37 (Maclaren, I., Ellis, R.S., Couch, W.J.), 230, 249

Erratum: Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), 230, 479

## Gravitation and gravitational radiation

Remarkable properties of the limiting counter-rotating disc (Lemos, J.P.S.), 230, 451

#### Infrared astronomy

A mid- to far-infrared variability study of the intermediate Seyfert galaxy, Mk 6 (Clement, R., Sembay, S., Hanson, C.G., Coe, M.J.), 230, 117 Infrared polarimetry of dark clouds – II. Magnetic field structure in the e Ophiuchi dark cloud (Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, I.), 230, 321

On the nature and environment of Omicron Scorpii (Whittet, D.C.B.), 230, 473

Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component (Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H.), 230, 629

Luminescence from interstellar carbons: evidence for diamond-like dust from extended red and near-infrared emission (Duley, W.W., Williams, D.A.), 230, 1P

## Instruments and techniques

Digital plate coaddition: results on a field centred on IC 4296 Marston, A.P.), 230, 97

Atmospheric dispersion at prime focus (Wynne, C.G., Worswick, S.P.), 230, 457

## Intergalactic medium

Fluctuations in the X-ray background and the large-scale structure of the Universe (Barcons, X., Fabian, A.C.), 230,189

Evolution of Lyα clouds: observational biases due to line crowding (Liu, X.D., Jones, B.J.T.), 230, 481

Effects of blending on estimates of the redshift evolution of QSO Lyα absorbers (Parnell, H.C., Carswell, R.F.). 230. 491

Photino decay and the ionization of Lyman a clouds at large redshifts (Sciama, D.W.), 230, 13P

## Interstellar grains

Spectropolarimetry of the 3-µm ice band in Elias 16 (Taurus Dark Cloud) (Hough, J.H., Sato, S., Tamura, M., Yamashita, T., McFadzean, A.D., Rouse, M.F., Whittet, D.C.B., Kaifu, N., Suzuki, H., Nagata, T., Gatley, I., Bailey, J.), 230, 107

A mid- to far-infrared variability study of the intermediate Seyfert galaxy, Mk 6 (Clement, R., Sembay, S., Hanson, C.G., Coe, M.J.), 230, 117

Formation of planets around stars of various masses — II. Stars of two and three solar masses and the origin and evolution of circumstellar dust clouds (Nakano, T.), 230, 551

Infrared polarimetry of dark clouds – II. Magnetic field structure in the e Ophiuchi dark cloud (Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, L.), 230, 321

On the nature and environment of Omicron Scorpii (Whittet, D.C.B.), 230, 473

- Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component (Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H.), 230, 629
- Luminescence from interstellar carbons: evidence for diamond-like dust from extended red and near-infrared emission (Duley, W.W., Williams, D.A.), 230, 1P

## Interstellar medium

The sealing of fragmenting shells – evidence from optical studies of the Vela remnant (Meabum, J., Hartquist, T.W., Dyson, J.E.), 230, 243

## Magellanic Clouds

Binary star clusters in the Large Magellanic Cloud (Bhatia, R.K., Hatzidimitriou, D.), 230, 215 Effective temperatures and radii of Small Magellanic Cloud supergiants (Thompson, G.I., Nandy, K., Morgan, D.H., Houziaux, L.), 230, 429

## Masers

The circumstellar envelope of an unusual OH/IR star, OH 19.2-1.0 (Chapman, J.M.), 230, 415

#### Molecules and molecular clouds

Chemical modelling of molecular sources – VL Carbon-bearing molecules in oxygen-rich circumstellar envelopes (Nejad, L.A.M., Millar, T.J.), 230, 79

Infrared polarimetry of dark clouds – II. Magnetic field structure in the Ophiuchi dark cloud (Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, I.), 230, 321

Non-equilibrium level populations of molecular hydrogen – I. Uniform density, static clouds (Wagenblast, R., Hartquist, T.W.), 230, 363

Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component (Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H.), 230, 629

Chemistry in T Tauri winds (Rawlings, J.M.C., Williams, D.A., Cantó, J.), 230, 695

## Nebulae - gaseous

Formation of planets around stars of various masses — II. Stars of two and three solar masses and the origin and evolution of circumstellar dust clouds (Nakano, T.), 230, 551

## Nebulae - planetary

The abundances and mass distribution of planetary nebulae in the galactic bulge (Webster, B.L.), 230, 377

#### Novae

White dwarf heating and the ultraviolet flux in dwarf novae (Pringle, J.E.), 230, 587

## Physical processes

Raman scattering of the synchrotron self-absorbed radiation in accretion discs (Krishan, V.), 230, 183 Non-equilibrium level populations of molecular hydrogen – I. Uniform density static clouds (Wagenblast, R.,Hartquist,–T.W.), 230, 363

Jets with entrained clouds – II. The synchrotron spectrum and emission structure (Coleman, C.S., Bicknell, G.V.), 230, 497

Photing decay and the ionization of Lyman a clouds at

Photino decay and the ionization of Lyman a clouds at large redshifts (Sciama, D.W.), 230, 13P

#### **Planets**

Formation of planets around stars of various masses – II. Stars of two and three solar masses and the origin and evolution of circumstellar dust clouds (Nakano, T.), 230, 551

### Polarization of starlight

Spectropolarimetry of the 3-um ice band in Elias 16 (Taurus Dark Cloud) (Hough, J.H., Sato, S., Tamura, M., Yamashita, T., McFadzean, A.D., Rouse, M.F., Whittet, D.C.B., Kaifu, N., Suzuki, H., Nagata, T., Catley, I., Bailey, J.), 230, 107 Infrared polarimetry of dark clouds – II. Magnetic field structure in the g Ophiuchi dark cloud (Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, I.), 230, 321 Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component (Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H.), 230, 629

### **Pulsars**

A relation between subpulse widths and the polarization properties of pulsars (Ashworth, M.), 230, 87

### Quasars

A deep radio and optical survey near the North Galactic Pole – IV. VLA observations and optical identifications of 5C 12 sources (Benn, C.R., Grueff, G., Vigotti, M., Wall, J.V.), 230, 1

## Subject index

Raman scattering of the synchrotron self-absorbed radiation in accretion discs (Krishan, V.), 230, 183

Fluctuations in the X-ray background and the large-scale structure of the Universe (Barcons, X., Fabian, A.C.), 230, 189

Evolution of Lyα clouds: observational biases due to line crowding (Liu, X.D., Jones, B.J.T.), 230, 481

Effects of blending on estimates of the redshift evolution of QSO Lyα absorbers (Parnell, H.C., Carswell, P.F.) 230, 401

High-redshift quasars in the Cold Dark Matter cosmogony (Efstathiou, G., Rees, M.J.), 230, 5P

## Radio astronomy

A deep radio and optical survey near the North Galactic Pole – IV. VLA observations and optical identifications of 5C 12 sources (Benn, C.R., Grueff, G., Vigotti, M., Wall, J.V.), 230, 1

A relation between subpulse widths and the polarization properties of pulsars (Ashworth, M.), 230, 87

The cluster environments of powerful radio galaxies (Prestage, R.M., Peacock, J.A.), 230, 131

Raman scattering of the synchrotron self-absorbed radiation in accretion discs (Krishan, V.), 230, 183

The double radio nucleus of Arp 220 (Norris, R.P.), 230, 345

An accretion disc in the broad-line radio galaxy 3C390.3? (Pérez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M.), 230, 353

The circumstellar envelope of an unusual OH/IR star, OH 19.2-1.0 (Chapman, J.M.), 230, 415

Jets with entrained clouds – II. The synchrotron spectrum and emission structure (Coleman, C.S., Bicknell, G.V.), 230, 497

## Relativity

Remarkable properties of the limiting counter-rotating disc (Lemos, J.P.S.), 230, 451

## Spectroscopy

Non-LTE calculations of O II line strengths in early-type stars (Brown, P.J.F., Dufton, P.L., Lennon, D.J.), 230, 443

#### Stars - atmospheres of

On the connection between model stars and real stars (Underhill, A.B.), 230, 55

Non-LTE calculations of O II line strengths in early-type stars (Brown, P.J.F., Dufton, P.L., Lennon, D.J.), 230, 443

C/He abundances in WC stars (Smith, L.F., Hummer, D.G.), 230, 511

## Stars - chemical composition of

C/He abundances in WC stars (Smith, L.F., Hummer, D.G.), 230, 511

Isotopic magnesium abundances in stars (McWilliam, A., Lambert, D.L.), 230, 573

Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – III. The superficially normal standard stars Theta Leonis, Tau Herculis and Omicron Pegasi (Adelman, S.J.), 230, 671

#### Stars - clusters of

Binary star clusters in the Large Magellanic Cloud (Bhatia, R.K., Hatzidimitriou, D.), 230, 215 Two homological models for the evolution of star clusters (Heggie, D.C., Stevenson, D.), 230, 223 On the nature and environment of Omicron Scorpii (Whittet, D.C.B.), 230, 473

### Stars - mass loss from

Chemical modelling of molecular sources – VI. Carbon-bearing molecules in oxygen-rich circumstellar envelopes (Nejad, L.A.M., Millar, T.J.), 230, 79

The sealing of fragmenting shells – evidence from optical studies of the Vela remnant (Meaburn, J., Hartquist, T.W., Dyson, J.E.), 230, 243

The circumstellar envelope of an unusual OH/IR star, OH 19.2-1.0 (Chapman, J.M.), 230, 415 Chemistry in T Tauri winds (Rawlings, J.M.C.,

# Stars - photometry of

Williams, D.A., Cantó, J.), 230, 695

Effective temperatures and radii of Small Magellanic Cloud supergiants (Thompson, G.I., Nandy, K., Morgan, D.H., Houziaux, L.), 230, 429 On the nature and environment of Omicron Scorpii (Whittet, D.C.B.), 230, 473

## Stars - spectroscopy of

On the connection between model stars and real stars (Underhill, A.B.), 230, 55

C/He abundances in WC stars (Smith, L.F., Hummer, D.G.), 230, 511

Isotopic magnesium abundances in stars (McWilliam, A., Lambert, D.L.), 230, 573

Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – III. The superficially normal standard stars Theta Leonis, Tau Herculis and Omicron Pegasi (Adelman, S.J.), 230, 671

## Stars - structure and evolution of

On the connection between model stars and real stars (Underhill, A.B.), 230, 55

## Stars - variable

Observations of 1.4-Hz quasi-periodic oscillations in Cir X-1 (Tennant, A.F.), 230, 403

Three-halves law in sunspot cycle shape (Bracewell, R.N.), 230, 535

White dwarf heating and the ultraviolet flux in dwarf novae (Pringle, J.E.), 230, 587

## Stars - velocities of

Kinematics and properties of F stars near the North Galactic Pole – II. The isothermal disc (Adamson, A.J., Hill, G., Fisher, W., Hilditch, R.W., Sinclair, C.D.), 230, 273

#### Sun

Three-halves law in sunspot cycle shape (Bracewell, R.N.), 230, 535

## Supernovae and supernova remnants

The sealing of fragmenting shells – evidence from optical studies of the Vela remnant (Meabum, J., Hartquist, T.W., Dyson, J.E.), 230, 243
Distances to the remnants of historical Type I supernovae (Strom, R.G.), 230, 331
Jets with entrained clouds – II. The synchrotron spectrum and emission structure (Coleman, C.S., Bicknell, G.V.), 230, 497

## Ultraviolet astronomy

Far-ultraviolet absorption lines in active galaxies (Ulrich, M.-H.), 230, 121
White dwarf heating and the ultraviolet flux in dwarf novae (Pringle, J.E.), 230, 587

## X-ray astronomy

Fluctuations in the X-ray background and the large-scale structure of the Universe (Barcons, X., Fabian, A.C.), 230, 189

Serendipitous discovery of an AGN showing rapid X-ray variability (Barstow, M.A., Stanger, V.J.), 230, 207

Observations of 1.4-Hz quasi-periodic oscillations in Cir X-1 (Tennant, A.F.), 230, 403



